



REQUEST FOR QUOTATION (RFQ) No. 097-2025

Procurement Unit

The Tarlac State University (TSU), through its Bids and Awards Committee (BAC) and Procurement Unit, will undertake an **Alternative Method of Procurement through Negotiated Procurement** for the items stated below, in accordance with **Section 53.9 Small Value Procurement** of the Revised Implementing Rules and Regulations of Republic Act. No. 9184.

The TSU hereinafter referred to as "the Buyer", now requests submission of a price quotation for the subject below:

Purchase Request No.	DESCRIPTION/PARTICULARS	APPROVED BUDGET FOR THE CONTRACT (ABC) inclusive of VAT
2025-02-074 (PROCUREMENT)	VARIOUS AUDIO AND VISUAL SUPPLIES AND TOOLS	508,799.00
Purpose: APP 1st Quarter 2025		

Philgeps Posting: Active Date: 2/25/25 Closing Date: 3/4/25 Category: AUDIO & VISUAL EQUIPMENT Reference No.: 11803323

Interested suppliers are required to submit the following documents:

- Valid and Current Mayor's / Business Permit
- Latest Income / Business Tax Return
- Proof of PhilGeps Registration
- Omnibus Sworn Statement
- Brochure, if applicable

TSU Condition of Sale:

- Delivery Schedule: 30 calendar days from receipt of approved PO/NTP
- Bid Validity: 120 calendar days from submission of bids
- Delivery Site: Supply and Property Management Unit, Tarlac State University (045) 606-8159 / (045) 982-2605
- Warranty shall be for a period minimum of three (3) months of expendable supplies, or a supplies/equipment after acceptance by the procuring entity of the delivered

Award of contract shall be made to the bidder with the lowest quotation for the subject goods which comply with the minimum technical specifications and other terms and conditions stated herein.

Any alteration, erasures, or overwriting shall be valid only if they are signed or initialed by the bidder or his/her duly authorized representative.

Submission of duly signed Price Quotation Form (Attachment 1) and eligibility documents is not later than 3/4/25 at the Procurement Unit, Admin Building Tarlac State University, Tarlac City. Open submission may be done manually or through email at **tsucanvassing@gmail.com**

The penalty for late deliveries is one tenth (1/10) of one (1) percent of the cost of the underperformed portion for every day of delay. Once the cumulative amount of liquidated damages reaches ten (10%) percent of the contract price, the procuring entity shall rescind the contract without prejudice to other courses of action and remedies open to it.

The TSU reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract in accordance with Section 41 of R.A 9184 and its IRR, without thereby incurring any liability to the affected bidder or bidders.


ELENA MAY T. TEOFILO
 Head, Procurement Unit

PRICE QUOTATION

Date: 2/21/2025
 RFQ No. 097-2025
 PR No. 2025-02-074 (PROCUREMENT)

The Bids and Awards Committee
 c/o Procurement Unit
 TSU, Tarlac City
 (045) 982 -4630 / (045) 606 -8157

Sir / Madam:

After having carefully read and accepted the terms and conditions in the Request for Quotation, hereunder is our price quotation for the item/s identified below:

ITEM NO.	UNIT	ITEM & DESCRIPTION	QUANTITY	UNIT PRICE	TOTAL PRICE
1	piece	AMPLIFIER , 1100W +1100W RMS PER CHANNEL; FREQUENCY RESPONSE: 20Hz-20KHz; INPUT SENSITIVITY: 0.775; 1.4v; 32dB INPUT IMPEDANCE: UNBALANCED 10KΩ / BALANCE 20KΩ SIGNAL TO NOISE RATIO: >/100dB; VOLTAGE GAIN (8Ω/1kHz): 33dB / 36dB / 39dB / 41dB; CROSSTALK: -75dB (at 1kHz) / -59dB (at 20kHz) PRODUCT SIZE: 483MM X	4		
2	unit	KARAOKE AMPLIFIER 4ch Speaker with A + B, Surround 2 Mic Inputs with Level & Echo Control Bass, Middle, Treble & Balance Controls 3 Media Inputs with Bluetooth, USB/SD Slot, and FM Radio 200W x 2 Max Power 20Hz to 20KHz Frequency Response 10mV Input Sensitivity Dimensions : (L) 43cm (W) 30cm (H) 15cm	1		
3	piece	CAMERA BAG , Holds DSLR & Grip, 2-3 Lenses, Flash Professional quality materials and hardware: water-repellant nylon exterior, waterproof tarpaulin bottom panel, YKK zippers and clips 2 Memory card pockets inside main compartment Quick-deploying rain cover provides additional protection in wet weather Rear loop allows the bag to be attached to a belt Brushed triocot interior is soft and equipment friendly Padded shoulder strap included Dimensions: 11 x 8 x 10 inches weight: 1.5 pounds	6		
4	piece	CAMERA SLIDER DOLLY CAR , Material: Alloy Color: Black Product Size: Slide Length: Approx. 60 cm/23.6 in Weight: Approx. 1784.0g Car Speed: First gear speed: 2.4cm/S Second speed: 2.6cm/S Third gear speed: 2.8cm/S Maximum Load Bearing: 3KG Wireless Remote Control Distance: 6 m/19.7 ft Maximum Continuous Working time: About 6 hours Car Charge Time: About 3 hours Remote Control Duration: About 18 hours Normal Use Time of Remote Control: 60,000 times Car : Built-in lithium 1800mAh of Remote Control: Built-in button CR2032 240mAh	1		

Warranty : _____
 The above-quoted price is inclusive of all costs and applicable taxes
 Very truly yours,

AUTHORIZED REPRESENTATIVE:

Signature : _____
 Printed Name : _____
 Date : _____
 Company Name Registered : _____
E-mail Address : _____
 Contact no. : _____

BANK DETAILS:

Bank Name : _____
 Bank Address : _____
 Bank Account Name : _____
 Bank Account Number : _____

PRICE QUOTATION

Date: 2/21/2025
 RFQ No. 097-2025
 PR No. 2025-02-074 (PROCUREMENT)

The Bids and Awards Committee
 c/o Procurement Unit
 TSU, Tarlac City
 (045) 982 -4630 / (045) 606 -8157

Sir / Madam:

After having carefully read and accepted the terms and conditions in the Request for Quotation, hereunder is our price quotation for the item/s identified below:

ITEM NO.	UNIT	ITEM & DESCRIPTION	QUANTITY	UNIT PRICE	TOTAL PRICE
5	unit	CAMERA, DIGITAL CAMERACAMERA Specifications AF Modes One-Shot AF, AI Servo AF, AI Focus AF AF Point Selection Automatic selection, Manual selection AF System Points 9-point (Cross-type AF sensitive to f/5.6 with center AF point) Built-in Flash YES Closest Focusing Distance (cm) 25 Continuous Shooting Speed (Shots Per Sec) (Up To) 3 Digital Zoom Dimensions (Excl. Protrusions) (mm) (Approx.) 129.0 x 101.6 x 77.1 Drive System Micro Motor Effective ISO 100 - 6400 (H:12800) Effective Pixels (Megapixels) 18 Exposure Compensation Manual: ±5 stops in 1/3- or 1/2-stop increments, AEB: ±2 stops in 1/3- or 1/2-stop increments Flash Modes E-TTL II Autoflash, FE Lock, manual pop-up, Retractable, Built-in 28.8 - 88mm(3x) Guide Number ISO 100 metres 9.2/30.2 Image Resolution 5184 x 3456 (L) 3456 x 2304 (M) 2592 x 1728 (S1) 1920 x 1280 (S2) 720 x 480 (S3) 5184 x 3456 (RAW) In-body Image Stabilizer (sensor shift IS) No LCD Monitor (Size) (Inch) 2.7 LCD Monitor Resolutions (dots) 230000 Manual Focus YES Memory Card Type SD, SDHC*, SDXC*, *UHS-I cards compatible Metering Mode 63-zone TTL Evaluative, Partial, Spot, Centre-weighted average Movie Digital IS No Movie Format MOV Optical Image Stabilizer Yes Optical Zoom 3x Optional Power Peripheral Connections Hi-Speed USB, HDMI (Type C) Processor Type DIGIC 4+ Sensor Size APS-C Shooting Modes Scene Intelligent Auto, Flash Off, Creative Auto, Portrait, Landscape, Close-up, Sports, Food, Night Portrait, Program AE, Shutter-priority AE, Aperture-priority AE, Manual exposure Shutter Speed Range (Sec.) 30 - 1/4000, Bulb Standard Power Supply Battery Pack LP-E10 Still Image Format JPEG, RAW, RAW + JPEG Viewfinder Coverage (Approx.) 95 Viewfinder Type Eye-level pentamirror Weight (g) (Including the battery and memory card) (Approx.) 436 *For camera kits, weight includes kit lens(es).	1		

Warranty : _____
 The above-quoted price is inclusive of all costs and applicable taxes
 Very truly yours,

AUTHORIZED REPRESENTATIVE:

Signature : _____
 Printed Name : _____
 Date : _____
 Company Name Registered : _____
 E-mail Address : _____
 Contact no. : _____

BANK DETAILS:

Bank Name : _____
 Bank Address : _____
 Bank Account Name : _____
 Bank Account Number : _____

PRICE QUOTATION

Date: 2/21/2025
 RFQ No. 097-2025
 PR No. 2025-02-074 (PROCUREMENT)

The Bids and Awards Committee
 c/o Procurement Unit
 TSU, Tarlac City
 (045) 982 -4630 / (045) 606 -8157

Sir / Madam:

After having carefully read and accepted the terms and conditions in the Request for Quotation, hereunder is our price quotation for the item/s identified below:

ITEM NO.	UNIT	ITEM & DESCRIPTION	QUANTITY	UNIT PRICE	TOTAL PRICE
		White Balance Auto (Ambience priority), Auto (White priority), Preset (Daylight, Shade, Cloudy, Tungsten light, White fluorescent light, Flash), Custom White balance correction, and White balance bracketing provided * Flash color temperature information transmission possible X-sync (sec.) 1/200			
6	unit	DRONE , DRONE SPEED • Max Ascent Speed : 16.4 ft/s (5 m/s) • Max Descent Speed : 9.8 ft/s (3 m/s) • Overall Max Speed: 40 mph (65 kph) in Sport mode without wind FLYING PERFORMANCE • Max Service Ceiling Above Sea Level : 16,404 feet (5000m) • Max Flight Time : 27 minutes (no wind at a consistent 15.5 mph (25 kph) • Max Hovering Time: 24 minutes (no wind) • Overall flight time: 21 minutes in normal flight CAMERA • Sensor : 1/2.3" (CMOS), Effective pixels:12.35 M (Total pixels:12.71M) 73 • Lens: FOV 78.8° 26 mm (35 mm format equivalent) Distortion < 1.5% Focus from 0.5 m to ∞ • ISO Range : video: 100-3200 photo: 100-1600 • Electronic Shutter Speed : 8s -1/8000 s • Image Size: 4000x3000 • Max Video Bitrate: 60 Mbps • Supported File Systems : are FAT32 (≤ 32 GB); exFAT (> 32 GB) • Photo: JPEG, DNG • Video: MP4 and MOV • Supported SD Cards: maximum capacity of 64GB. MODES • Still Photography Modes: a) Single shot b) Burst shooting: 3/5/7 frames c) Auto Exposure Bracketing (AEB): 3/5 bracketed frames at 0.7 EV Bias Interval • In terms of Video Recording Modes, the camera can shoot: •C4K: 4090x2160 24p •4K: 3840x2160 24/25/30p •2.7K: 2704x1520 24/25/30p •FHD: 1920x1080 24/25/30/48/50/60/96p •HD: 1280x720 24/25/30/48/50/60/120p REMOTE CONTROLLER • Operating Frequency : 2.4 GHz to 2.483 GHz. • Max Transmission Distance :4.3 miles (7 km) • Operating Current/Voltage: 950mA @ 3.7V 74• Supports Lightning, Micro USB (Type B) and USB (Type C) port types. INTELLIGENT FLIGHT BATTERY • Battery Type: LiPo 3S • Capacity: 3,830 mAh • Voltage: 11.4V • Energy : 43.6 Wh• Net Weight : 0.5 lbs or 240g	1		

Warranty : _____
 The above-quoted price is inclusive of all costs and applicable taxes

Very truly yours,
AUTHORIZED REPRESENTATIVE:

Signature : _____
 Printed Name : _____
 Date : _____
 Company Name Registered : _____
 E-mail Address : _____
 Contact no. : _____
BANK DETAILS:
 Bank Name : _____
 Bank Address : _____
 Bank Account Name : _____
 Bank Account Number : _____

PRICE QUOTATION

Date: 2/21/2025
 RFQ No. 097-2025
 PR No. 2025-02-074 (PROCUREMENT)

The Bids and Awards Committee
 c/o Procurement Unit
 TSU, Tarlac City
 (045) 982 -4630 / (045) 606 -8157

Sir / Madam:

After having carefully read and accepted the terms and conditions in the Request for Quotation, hereunder is our price quotation for the item/s identified below:

ITEM NO.	UNIT	ITEM & DESCRIPTION	QUANTITY	UNIT PRICE	TOTAL PRICE
7	piece	LAPEL , Bluetooth wireless lavalier microphone 2.4G wireless technology, distance 40 meters, intelligent noise reduction, battery life: 8 hours	1		
8	piece	LAPEL , PORTABLE Brand: Tident; Model: TRA-818; Portable; USB 2.0 Interface; MP3 Music Play mode; Radio-Function	4		
9	unit	MICROPHONE , Form Factor: Handheld Sound Field; Mono Capsule: 1x Dynamic Polar Pattern: Cardioid Orientation End; Address High-Pass Filter: None On-Board Controls: Mic Mute Performance: Frequency Range: 55 Hz to 16 kHz; Impedance: 300 Ohms; Load Impedance: 1 Kiloohms; Sensitivity: 1.8 mV/Pa; Connectivity: Output Connectors (Analog): 1 x XLR Physical: Mounting: Mic Clip/Stand Adapter (Included); Construction: Material: Metal Operating Temperature: 32 to 104°F / 0 to 40°C Dimensions: ϕ : 1.89 x L: 7.09" / ϕ : 48 x L: 180mm Weight: 11.64oz/330g Package Weight: 0.975 lb	2		
10	unit	MICROPHONE , MICROPHONE, wireless, handheld, rechargeable, Channel Wireless Handheld UHF Microphone System for Conference/Meeting. Frequency range: UHF640~690MHz; Adjustable channel number: 100x8 Oscillation mode; Phase-locked loop frequency synthesis (PLL) Frequency stability: \pm 10ppm Receiving mode: superheterodyne double conversion Receiving sensitivity: -90dBm Audio frequency response: 40~18000Hz Harmonic distortion: \leq 0.5%; Signal-to-noise ratio: \geq 100dB Audio output: balanced output and unbalanced output Transmitting power: 10~30mW Modulation method: modulation frequency Battery specifications: 2 1.5V No. 5 batteries.	2		

Warranty: _____

The above-quoted price is inclusive of all costs and applicable taxes
 Very truly yours,

AUTHORIZED REPRESENTATIVE:

Signature : _____
 Printed Name : _____
 Date : _____
 Company Name Registered : _____
 E-mail Address : _____
 Contact no. : _____
BANK DETAILS:
 Bank Name : _____
 Bank Address : _____
 Bank Account Name : _____
 Bank Account Number : _____

PRICE QUOTATION

Date: 2/21/2025
 RFQ No. 097-2025
 PR No. 2025-02-074 (PROCUREMENT)

The Bids and Awards Committee
 c/o Procurement Unit
 TSU, Tarlac City
 (045) 982-4630 / (045) 606-8157

Sir / Madam:

After having carefully read and accepted the terms and conditions in the Request for Quotation, hereunder is our price quotation for the item/s identified below:

ITEM NO.	UNIT	ITEM & DESCRIPTION	QUANTITY	UNIT PRICE	TOTAL PRICE
11	set	WIRELESS MICROPHONE SPECIFICATIONS: •Frequency Steadying: Less than 0.002% •Modulating Mode: FM •Audio Dynamic Range: Over 70dB •Audio frequency responses: 100Hz-15KHz •Audio output level: 0-28mV •S/N Ratio: Over 70dB •T.H.D: Less than 0.5% •Sensitivity: 3uV for 30dB S/N	1		
12	piece	SD CARD , Micro, Extreme Pro; For Camera, 64GB	4		
13	piece	SD CARD , Micro, Extreme Pro, for recorder and camera, 128GB	1		
14	set	SPEAKER SOUND SYSTEM , Portable Party Sound System included with 2 digital wireless microphones, dynamic frequency response range (Hz) 59 Hz-20k Hz @-6dB, Bluetooth frequency 2.4 GHz-2.4835 GHz, Maximum music-playing time (hrs) 10	1		
15	unit	SPEAKER SOUND SYSTEM, SPEAKER •System Type: 15 2 Way Full Range •LF: 15 Woofer (2.5" Voice coil size) •HF: 1.5" Titanium Dome Tweeter •Freq. Resp.: 45Hz-20kHz •Amp. Power:450W MAX •Impedance: 8 ohms. •Input Gain: line: +20 dBu/ Mic: +40dB •Input Connector: Line (XLR, RCA & PL), Mic (PL & XLR) •Output Connector: Line (XLR & PL link out). Speaker (Speakon to passive speaker) •THD: Less than 0.1% •Signal indicator: Limit, Clip •Crossover Freq.: 3KHz •AC Input: 220V 50-60Hz •Sensitivity: 99dB •Dimension (HxWxD): 76(H) x 52(W) x 83(D)cm •Net Weight: 42.5 Kg •With Bluetooth	1		

Warranty :

The above-quoted price is inclusive of all costs and applicable taxes

Very truly yours,

AUTHORIZED REPRESENTATIVE:

Signature : _____
 Printed Name : _____
 Date : _____
 Company Name Registered : _____
 E-mail Address : _____
 Contact no. : _____
BANK DETAILS:
 Bank Name : _____
 Bank Address : _____
 Bank Account Name : _____
 Bank Account Number : _____

PRICE QUOTATION

Date: 2/21/2025
 RFQ No. 097-2025
 PR No. 2025-02-074 (PROCUREMENT)

The Bids and Awards Committee
 c/o Procurement Unit
 TSU, Tarlac City
 (045) 982 -4630 / (045) 606 -8157

Sir / Madam:

After having carefully read and accepted the terms and conditions in the Request for Quotation, hereunder is our price quotation for the item/s identified below:

ITEM NO.	UNIT	ITEM & DESCRIPTION	QUANTITY	UNIT PRICE	TOTAL PRICE
16	unit	SPEAKER , 800 watts RMS powerful sound wireless speaker, tuned bass reflex port, 2 x8 " woofers and 2x2.75" tweeters, built in and customized Led lights, IPX4 splashproof, Dynamic frequency response range (Hz) 35Hz – 20kHz (-6dB), Dimensions (in) 15.70 x 35.60 x 17.20 Dimensions (cm) 39.9 x 90.5 x 43.6, Weight (kgs)27.8 Weight (lbs) 61.3, Easy-to-grip handle and robust wheels, Guitar and mic inputs.	2		
17	unit	SPEAKER ,BLUETOOTH SPEAKER PORTABLE TROLLEY SPEAKER SPECIFICATIONS: •Portable Trolley Speaker with Bluetooth •200W Max Power with Rechargeable Battery •8" Speaker •1 x 2" Tweeter •USB & SD Slot, FM Radio, NFC and Line-In •Voice Priority •Dimensions : (L) 25cm (W) 23.5cm (H) 41cm •Free 2 Wireless Mic)	1		
18	unit	SPEAKER , Portable Speaker Trolley (Frequency response:50Hz-20Hz, S/N Ratio: 71 Db, Led lights, Guitar Input, Wired Mic Input, 500 W Portable Sound System with 2 Handles Wireless Mic, remote controll, FM, Usb, Bluetooth, Rechargeable Battery.	5		
19	piece	TRIPOD , (lightweight) Compact, Lightweight, Quick to Set Up Tripod, Video Head, and Soft Case Adjustable Pan Bar Quick Release Camera Plate 5.5 lb Payload 57" Max Height with Center Column Raised	3		

Warranty : _____

The above-quoted price is inclusive of all costs and applicable taxes

Very truly yours,

AUTHORIZED REPRESENTATIVE:

Signature : _____
 Printed Name : _____
 Date : _____
 Company Name Registered : _____
 E-mail Address : _____
 Contact no. : _____
BANK DETAILS:
 Bank Name : _____
 Bank Address : _____
 Bank Account Name : _____
 Bank Account Number : _____

PRICE QUOTATION

Date: 2/21/2025
 RFQ No. 097-2025
 PR No. 2025-02-074 (PROCUREMENT)

The Bids and Awards Committee
 c/o Procurement Unit
 TSU, Tarlac City
 (045) 982 -4630 / (045) 606 -8157

Sir / Madam:

After having carefully read and accepted the terms and conditions in the Request for Quotation, hereunder is our price quotation for the item/s identified below:

ITEM NO.	UNIT	ITEM & DESCRIPTION	QUANTITY	UNIT PRICE	TOTAL PRICE
		20.5" Folded Height Half-Turn Twist Lock Leg Locks Individual Leg Positioning Weight Hook			
20	piece	WIRELESS MICROPHONE , DUAL WIRELESS HANDHELD UHF MICROPHONE DYNAMIC CAPSULE 542MHz AND 572MHz FIXED FREQUENCY BLUETOOTH AUDIO	1		

Warranty : _____
 The above-quoted price is inclusive of all costs and applicable taxes
 Very truly yours,

AUTHORIZED REPRESENTATIVE:

Signature : _____
 Printed Name : _____
 Date : _____
 Company Name Registered : _____
 E-mail Address : _____
 Contact no. : _____

BANK DETAILS:

Bank Name : _____
 Bank Address : _____
 Bank Account Name : _____
 Bank Account Number : _____



GEPs
Philippine Government Electronic Procurement System

Central Portal for
Philippine Government
Procurement Opportunities

Bid Notice Abstract

Request for Quotation (RFQ)

Reference Number 11803303
Procuring Entity TARLAC STATE UNIVERSITY
Title Various Audio and Visual Supplies and Tools
Area of Delivery Tarlac

Solicitation Number:	097-2025	Status	Pending
Trade Agreement:	Implementing Rules and Regulations	Associated Components	3
Procurement Mode:	Negotiated Procurement - Small Value Procurement (Sec. 53.9)	Bid Supplements	0
Classification:	Goods	Document Request List	0
Category:	Audio and Visual Equipment	Date Published	25/02/2025
Approved Budget for the Contract:	PHP 508,799.00	Last Updated / Time	24/02/2025 15:36 PM
Delivery Period:	30 Day/s	Closing Date / Time	04/03/2025 13:00 PM
Client Agency:			
Contact Person:	Tutchie Panlilio Clerk TSU, Romulo Blvd. San Vicente, Tarlac City, Philip Tarlac City Tarlac Philippines 2300 63-045-6068142 tsucanvassing@gmail.com		

Description

APP 1st Quarter 2025.

Line Items

Item No.	Product/Service Name	Description	Quantity	UOM	Budget (PHP)
1	AMPLIFIER	1100W +1100W RMS PER CHANNEL; FREQUENCY RESPONSE: 20Hz-20KHz; INPUT SENSITIVITY: 0.775; 1.4v; 32dB INPUT IMPEDANCE: UNBALANCED 10KΩ / BALANCE 20KΩ SIGNAL TO NOISE RATIO: >/100dB; VOLTAGE GAIN (8Ω/1kHz): 33dB / 36dB / 39dB / 41dB; CROSSTALK: -75dB (at	4	Piece	120,000.00
2	KARAOKE AMPLIFIER	4ch Speaker with A + B, Surround 2 Mic Inputs with Level & Echo Control Bass, Middle, Treble & Balance Controls 3 Media Inputs with Bluetooth, USB/SD Slot, and FM Radio 200W x 2 Max Power 20Hz to 20KHz Frequency Response 10mV Input Sensitivity Dimens	1	Unit	5,000.00
3	CAMERA BAG	Holds DSLR & Grip, 2-3 Lenses, Flash Professional quality materials and hardware: water-repellant nylon exterior, waterproof tarpaulin bottom panel, YKK zippers and clips 2 Memory card pockets inside main compartment Quick-deploying rain cover provi	6	Piece	18,000.00
4	CAMERA SLIDER DOLLY CAR	Material: Alloy Color: Black Product Size: Slide Length: Approx. 60 cm/23.6 in Weight: Approx. 1784.0g Car Speed: First gear speed: 2.4cm/S Second speed: 2.6cm/S Third gear speed: 2.8cm/S	1	Piece	7,000.00

		Maximum Load Bearing: 3KG Wireless Remote Control Distance			
5	CAMERA	DIGITAL CAMERACAMERA Specifications AF Modes One-Shot AF, AI Servo AF, AI Focus AF AF Point Selection Automatic selection, Manual selection AF System Points 9-point (Cross-type AF sensitive to f/5.6 with center AF point) Built-in Flash YES Closest	1	Unit	35,000.00
6	DRONE	DRONE SPEED • Max Ascent Speed : 16.4 ft/s (5 m/s) • Max Descent Speed : 9.8 ft/s (3 m/s) • Overall Max Speed: 40 mph (65 kph) in Sport mode without wind FLYING PERFORMANCE • Max Service Ceiling Above Sea Level : 16,404 feet (5000m) • Max Flight TI	1	Unit	25,000.00
7	LAPEL	Bluetooth wireless lavalier microphone 2.4G wireless technology, distance 40 meters, intelligent noise reduction, battery life: 8 hours	1	Piece	6,000.00
8	LAPEL	PORTABLE Brand: Tidént; Model: TRA-818; Portable; USB 2.0 Interface; MP3 Music Play mode; Radio Function	1	Piece	14,000.00
9	MICROPHONE	Form Factor: Handheld Sound Field: Mono Capsule: 1 x Dynamic Polar Pattern; Cardioid Orientation End: Address High-Pass Filter: None On-Board Controls: Mic Mute Performance: Frequency Range: 55 Hz to 16 kHz; Impedance: 300 Ohms; Load Impedance: 1 KΩ	2	Unit	10,000.00
10	MICROPHONE	wireless, handheld, rechargeable, Channel Wireless Handheld UHF Microphone System for Conference/Meeting Frequency range: UHF640~690MHz; Adjustable channel number: 100x8 Oscillation mode; Phase-locked loop frequency synthesis (PLL) Frequency stable	2	Unit	9,000.00
11	WIRELESS MICROPHONE	SPECIFICATIONS: •Frequency Steadying: Less than 0.002% •Modulating Mode: FM •Audio Dynamic Range: Over 70dB •Audio frequency responses: 100Hz-15KHz •Audio output level: 0-28mV •S/N Ratio: Over 70dB •T.H.D: Less than 0.5% •Sensitivity: 3uV for 30dB	1	Set	2,299.00
12	SD CARD	Micro, Extreme Pro, For Camera, 64GB	4	Piece	4,000.00
13	SD CARD	Micro, Extrême Pro, for recorder and camera, 128GB	1	Piece	1,500.00
14	SPEAKER SOUND SYSTEM	Portable Party Sound System Included with 2 digital wireless microphones, dynamic frequency response range (Hz) 59 Hz-20k Hz @-6dB, Bluetooth frequency 2.4 GHz-2.4835 GHz, Maximum music playing time (hrs) 10	1	Set	45,000.00
15	SPEAKER SOUND SYSTEM	SPEAKER •System Type: 15 2 Way Full Range •LF: 15 Woofer (2.5" Voice coil size) •HF: 1.5" Titanium Dome Tweeter •Freq. Resp.: 45Hz-20kHz •Amp. Power:450W MAX •Impedance: 8 ohms. •Input Gain: line: +20 dBu/ Mic: +40dB •Input Connector: Line (XLR, RC	1	Unit	25,000.00
16	SPEAKER	800 watts RMS powerful sound wireless speaker, tuned bass reflex port, 2 x 8 " woofers and 2x2.75" tweeters, built in and customized Led lights, IPX4 splashproof, Dynamic frequency response range (Hz) 35Hz - 20kHz (-6dB), Dimensions (in) 15.70 x 35.	2	Unit	80,000.00
17	SPEAKER	BLUETOOTH SPEAKER PORTABLE TROLLEY SPEAKER SPECIFICATIONS: •Portable Trolley Speaker with Bluetooth •200W Max Power with Rechargeable Battery •8" Speaker •1 x 2" Tweeter •USB & SD Slot, FM Radio, NFC and Line-In •Voice Priority •Dimensions : (L) 25	1	Unit	15,000.00
18	SPEAKER	Portable Speaker Trolley (Frequency response:50Hz-20Hz, S/N Ratio: 71 Db, Led lights, Guitar Input, Wired Mic Input, 500 W Portable Sound System with 2 Handles Wireless Mic, remote control, FM, Usb, Bluetooth, Rechargeable Battery.	5	Unit	50,000.00

19	TRIPOD	(lightweight) Compact, Lightweight, Quick to Set Up Tripod, Video Head, and Soft Case Adjustable Pan Bar Quick Release Camera Plate 5.5 lb Payload 57" Max Height with Center Column Raised	3	Piece	30,000.00
20	WIRELESS MICROPHONE	DUAL WIRELESS HANDHELD UHF MICROPHONE DYNAMIC CAPSULE 542MHz AND 572MHz FIXED FREQUENCY BLUETOOTH AUDIO	1	Piece	7,000.00

Other Information

The bidders must download the attached documents in the associated component section. To be acquired as a line item.

Created by Tutchie Panlilio

Date Created 24/02/2025

The PhilGEPS team is not responsible for any typographical errors or misinformation presented in the system. PhilGEPS only displays information provided for by its clients, and any queries regarding the postings should be directed to the contact person/s of the concerned party.