



REQUEST FOR QUOTATION (RFQ) No. 554-2023

Procurement Unit

The Tarlac State University (TSU), through its Bids and Awards Committee (BAC) and Procurement Unit, will undertake an **Alternative Method of Procurement through Negotiated Procurement** for the items stated below, in accordance with **Section 53.9 Small Value Procurement** of the Revised Implementing Rules and Regulations of Republic Act. No. 9184.

The TSU hereinafter referred to as "the Buyer", now requests submission of a price quotation for the subject below:

Purchase Request No.	DESCRIPTION/PARTICULARS	APPROVED BUDGET FOR THE CONTRACT (ABC) inclusive of VAT
2023-08-326 (OURD)	LABORATORY SUPPLIES AND MATERIALS	194,500.00
Purpose: for the conduct of the study entitled "Effects of Weed-Based Plant Growth Regulator on the Seed Germination of some High Value Crops" by Ms. Geraldine R. Gamoso.		

Philgeps Posting: Active Date: 8/26/23 Closing Date: 8/31/23 Category: LABORATORY SUPPLIES & EQUIP Reference No.: 100 75423

Interested suppliers are required to submit the following documents:

- | | |
|---|--|
| <input checked="" type="checkbox"/> Valid and Current Mayor's / Business Permit | <input type="checkbox"/> Latest Income / Business Tax Return |
| <input checked="" type="checkbox"/> Proof of PhilGeps Registration | <input type="checkbox"/> Omnibus Sworn Statement |
| | <input type="checkbox"/> Brochure, if applicable |

TSU Condition of Sale:

1. Delivery Schedule: 30 calendar days from receipt of approved PO/NTP
2. Bid Validity: 10 calendar days from submission of bids
3. Delivery Site: Supply and Property Management Unit, Tarlac State University
(045) 606-8159 / (045) 982-2605
4. Warranty shall be for a period minimum of three (3) months of expendable supplies, or a supplies/equipment after acceptance by the procuring entity of the delivered

Award of contract shall be made to the bidder with the lowest quotation for the subject goods which comply with the minimum technical specifications and other terms and conditions stated herein.

Any alteration, erasures, or overwriting shall be valid only if they are signed or initialed by the bidder or his/her duly authorized representative.

Submission of duly signed Price Quotation Form (Attachment 1) and eligibility documents is not later than 8/31/23 at the Procurement Unit, Admin Building Tarlac State University, Tarlac City.

Open submission may be done manually or through email at tsucanvassing@gmail.com

The penalty for late deliveries is one tenth (1/10) of one (1) percent of the cost of the underperformed portion for every day of delay. Once the cumulative amount of liquidated damages reaches ten (10%) percent of the contract price, the procuring entity shall rescind the contract without prejudice to other courses of action and remedies open to it.

The TSU reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract in accordance with Section 41 of R.A 9184 and its IRR, without thereby incurring any liability to the affected bidder or bidders.

 8/24/23
ELENA MAY T. TEOFILO
 Head, Procurement Unit

PRICE QUOTATION

Date: 8/22/2023
 RFQ No. 554-2023
 PR No. 2023-08-326 (OURD)

The Bids and Awards Committee
 c/o Procurement Unit
 TSU, Tarlac City
 (045) 982 -4630 / (045) 606 -8157

Sir / Madam:

After having carefully read and accepted the terms and conditions in the Request for Quotation, hereunder is our price quotation for the item/s identified below:

ITEM NO.	UNIT	ITEM & DESCRIPTION	QUANTITY	UNIT PRICE	TOTAL PRICE
8	box	FILTER PAPER - Filter paper No. 41: Material: Cotton, Fiber Pore Size: (micron) 23 Diameter: (mm) 125 Diameter: (cm) 12.5 Description: 41 Ashless Quantitative Filter Paper, 20-25um, 12.5cm; 100/Box	2		
9	box	FILTER PAPER - Filter paper no. 1: Whatman product. Code 1001-150, Material Cellulose, Description 11 um (Medium Flow), Parameter 0.25 psi Wet Burst, Thickness 180 µm, Ash ≤0.06%, Diameter 150 mm, Weight 88 g/m2.	2		
10	pack	PETRI DISH -Disposable petri dish: 90 mm x 15 mm; no partition; each pack contains 25 pairs of bottom dishes and lids; sterile and pyrogen-free	50		
11	bulk	PIPETTE TIPS (10,000 UL TIPS) BULKS IN 250 - Dimensions WxDxH: 153 x 185 x 105 mm; Length: 155 mm; Extended Length: No; Wide Bore: No; Pack Size: 250; Packaging: Bulk in box; Tip Type: Non-filtered tips; Delivery Condition: Non-Sterile; Purity: Non-sterile; Volume: 10,000 µL	1		

Warranty : _____

The above-quoted price is inclusive of all costs and applicable taxes

Very truly yours,

AUTHORIZED REPRESENTATIVE:

Signature : _____
 Printed Name : _____
 Date : _____
 Company Name Registered : _____
 E-mail Address : _____
 Contact no. : _____
BANK DETAILS:
 Bank Name : _____
 Bank Address : _____
 Bank Account Name : _____
 Bank Account Number : _____

PRICE QUOTATION

Date: 8/22/2023
 RFQ No. 554-2023
 PR No. 2023-08-326 (OURD)

The Bids and Awards Committee
 c/o Procurement Unit
 TSU, Tarlac City
 (045) 982 -4630 / (045) 606 -8157

Sir / Madam:

After having carefully read and accepted the terms and conditions in the Request for Quotation, hereunder is our price quotation for the item/s identified below:

ITEM NO.	UNIT	ITEM & DESCRIPTION	QUANTITY	UNIT PRICE	TOTAL PRICE
12	bulk	PIPETTE TIPS (1,000 UL TIPS) 1 BOX TIPS IN A RACK - Dimensions WxDxH: 430 x 135 x 205 mm; Length: 71.5 mm; Length Range: 71.5 mm; Extended Length: No; Wide Bore: No; Pack Size: 960; Packaging: Single Tray; Tip Type: Non-filtered tips; Delivery Condition: Non-Sterile; Purity: Non-sterile & free of DNase, RNase, ATP and endotoxins; Volume: 1,000 µL	1		
13	bag	CENTRIFUGE TUBE Plastic: 15ml; Conical Bottom with Graduation Level; Color Blue Cap Plastic; 25 per bag	50		
14	pcs	SEPARATORY FUNNEL: CAPACITY: 1000mL STOPPER NO.: 27 for PET or 29 for Glass STOPCOCK PLUG SIZE: 4 APPROX O.D. X STEM LENGTH:: 12 x 70mm APPROX. TOTAL LENGTH: 400m	2		
15	pcs	SEPARATORY FUNNEL: CAPACITY: 1000mL STOPPER NO.: 27 STOPCOCK PLUG SIZE: 4 APPROX O.D. X STEM LENGTH:: 10 x 65mm APPROX. TOTAL LENGTH: 392mm	3		

Warranty : _____

The above-quoted price is inclusive of all costs and applicable taxes

Very truly yours,

AUTHORIZED REPRESENTATIVE:

Signature : _____
 Printed Name : _____
 Date : _____
 Company Name Registered : _____
 E-mail Address : _____
 Contact no. : _____
BANK DETAILS:
 Bank Name : _____
 Bank Address : _____
 Bank Account Name : _____
 Bank Account Number : _____

PRICE QUOTATION

Date: 8/22/2023
 RFQ No. 554-2023
 PR No. 2023-08-326 (OURD)

The Bids and Awards Committee
 c/o Procurement Unit
 TSU, Tarlac City
 (045) 982 -4630 / (045) 606 -8157

Sir / Madam:

After having carefully read and accepted the terms and conditions in the Request for Quotation, hereunder is our price quotation for the item/s identified below:

ITEM NO.	UNIT	ITEM & DESCRIPTION	QUANTITY	UNIT PRICE	TOTAL PRICE
16	pcs	AMBER BOTTLE - with glass dropper; 100 mL	25		
17	pcs	AMBER BOTTLE - with glass dropper; 50 mL	25		
34	unit	PIPETTOR, SINGLE CHANNEL MECHANICAL PIPETTOR (1000-10,000 ul) - increment 20.0 ul; - Systematic Error for test volumes 1000ul needs 30.0ul, 5,000 ul needs 60.0ul and 10,000ul needs 60.0ul; Descriptions: - Easy volume adjustment with click stop system; - Large display for easy reading of volume - For both right- and left-handed users; - Color coded for easy matching of fitting tips; Materials have high chemical and UV- resistance to secure long life-time of the pipette; - Easy cleaning only with 3 parts needed to disassemble for deep cleaning, without any tools; - Safe-cone filters available for models above 10ul for extra protection when using non- filtered tips; - With light tip ejector; - Fully autoclavable without the need for disassembly; - Superior Ergonomics - designed handle and finger hook; Good Thermal Insulation to avoid transfer of heat from hand to mechanical spring coil; - Pipetting force of 15N to avoid Repetitive Strain Injury (RSI); - With click stop as volume locking; - Length 239 mm; Weight of 82 grams; Installation and Commissioning on Site Hands on Training to End Users with Certificate 1 year monitoring of Units under warranty 2-year Calibration (All Equipment) with Calibration Certificate and Sticker Certificate of Distributorship from Manufacturer	1		

Warranty : _____

The above-quoted price is inclusive of all costs and applicable taxes

Very truly yours,

AUTHORIZED REPRESENTATIVE:

Signature : _____

Printed Name : _____

Date : _____

Company Name Registered : _____

E-mail Address : _____

Contact no. : _____

BANK DETAILS:

Bank Name : _____

Bank Address : _____

Bank Account Name : _____

Bank Account Number : _____

PRICE QUOTATION

Date: 8/22/2023
 RFQ No. 554-2023
 PR No. 2023-08-326 (OURD)

The Bids and Awards Committee
 c/o Procurement Unit
 TSU, Tarlac City
 (045) 982 -4630 / (045) 606 -8157

Sir / Madam:

After having carefully read and accepted the terms and conditions in the Request for Quotation, hereunder is our price quotation for the item/s identified below:

ITEM NO.	UNIT	ITEM & DESCRIPTION	QUANTITY	UNIT PRICE	TOTAL PRICE
35	unit	PIPETTOR, SINGLE CHANNEL MECHANICAL PIPETTOR (100-1000ul)- increment 1.0 ul; - Systematic Error for test volumes 100ul needs 12.0ul, 500 ul needs 4.0ul and 1000ul needs 7.0ul; Descriptions: - Easy volume P adjustment with click stop system; - Large display for easy reading of volume - For both right- and left-handed users; - Color coded for easy matching of fitting tips; - Materials have high chemical and UV-resistance to secure long life-time of the pipette; - Easy cleaning only with 3 parts needed to disassemble for deep cleaning, without any tools; Safe-cone filters available for models above 10ul for extra protection when using non-filtered tips; - With light tip ejector; - Fully autoclavable without the need for disassembly; - Superior Ergonomics - designed handle and finger hook; - Good Thermal Insulation to avoid transfer of heat from hand to mechanical spring coil; Pipetting force of 15N to avoid Repetitive Strain Injury (RSI); With click stop as volume locking; - Length 239 mm; Weight of 82 grams; Installation and Commissioning on Site Hands on Training to End Users with Certificate 1 year monitoring of Units under warranty 2-year Calibration (All Equipment) with Calibration Certificate and Sticker Certificate of Distributorship from Manufacturer.	1		
36	unit	CALIPER, DIGITAL VERNIER CALIPER - Features: Calipers measure outside diameter, inside diameter, and depth.	1		

Warranty : _____

The above-quoted price is inclusive of all costs and applicable taxes

Very truly yours,

AUTHORIZED REPRESENTATIVE:

Signature : _____
 Printed Name : _____
 Date : _____
 Company Name Registered : _____
 E-mail Address : _____
 Contact no. : _____
BANK DETAILS:
 Bank Name : _____
 Bank Address : _____
 Bank Account Name : _____
 Bank Account Number : _____

PRICE QUOTATION

Date: 8/22/2023
 RFQ No. 554-2023
 PR No. 2023-08-326 (OURD)

The Bids and Awards Committee
 c/o Procurement Unit
 TSU, Tarlac City
 (045) 982 -4630 / (045) 606 -8157

Sir / Madam:

After having carefully read and accepted the terms and conditions in the Request for Quotation, hereunder is our price quotation for the item/s identified below:

ITEM NO.	UNIT	ITEM & DESCRIPTION	QUANTITY	UNIT PRICE	TOTAL PRICE
		<p>Ideal for measuring outside diameter of stoppers, inside diameter of tubing, and depth of vials. Zero button instantly sets closed jaws or any reference point to zero. Floating Zero™ may also be set in mid-measurement to read "difference results" without calculations. Calipers feature ergonomic design and durable hardened stainless steel or composite carbon fiber construction. Easy-to-read, 0.6 cm (1/4") high, digital readout switches from millimeters to inches at the touch of a button. Friction thumb roller allows for fast readings. Depth bar extends from end of instrument. No lubrication is ever required on the slide bar.; Certifications: A serial-numbered certificate is provided to indicate instrument traceability to standards provided by the National Institute of Standards and Technology. Calibrated in an ISO 17025 calibration laboratory accredited by A2LA.</p> <p>Specification: Material: Stainless steel; LxW: 27.9 x 7.6 cm (11 x 3"); Resolution: 0.01mm (0.0005"); Accuracy: ±0.03mm (±0.001"); Measurement range: 0-20.3cm (0-8"); Ordering information: Supplied with battery (runs for 10,000 hours); Installation and Commissioning on Site Hands on Training to End Users with Certificate 1 year monitoring of Units under warranty 2-year Calibration (All Equipment) with Calibration Certificate and Sticker Certificate of Distributorship from Manufacturer</p>			

Warranty : _____

The above-quoted price is inclusive of all costs and applicable taxes

Very truly yours,

AUTHORIZED REPRESENTATIVE:

Signature : _____
 Printed Name : _____
 Date : _____
 Company Name Registered : _____
 E-mail Address : _____
 Contact no. : _____
BANK DETAILS:
 Bank Name : _____
 Bank Address : _____
 Bank Account Name : _____
 Bank Account Number : _____



GEPS
Philippine Government Electronic Procurement System

Central Portal for
Philippine Government
Procurement Opportunities

[Help](#)

Bid Notice Abstract

Request for Quotation (RFQ)

Reference Number 10075427
Procuring Entity TARLAC STATE UNIVERSITY
Title Laboratory Supplies and Materilas
Area of Delivery Tarlac

Solicitation Number: 554-2023	Status	Pending
Trade Agreement: Implementing Rules and Regulations		
Procurement Mode: Negotiated Procurement - Small Value Procurement (Sec. 53.9)	Associated Components	3
Classification: Goods	Bid Supplements	0
Category: Laboratory Supplies and Equipment	Document Request List	0
Approved Budget for the Contract: PHP 194,500.00	Date Published	26/08/2023
Delivery Period: 30 Day/s	Last Updated / Time	25/08/2023 10:40 AM
Client Agency:	Closing Date / Time	31/08/2023 13:00 PM
Contact Person: Elena May T. Teofilo Unit Head Romulo Blvd. Tarlac City Tarlac Philippines 2300 63-2-092058494963 may_at_34@yahoo.com		

Description

Please see attached document

Line Items

Item No	Product / Service Name	Description	Quantity	Unit	Unit Price
1	FILTER PAPER	Filter paper No. 41: Material:Cotton, Fiber Pore Size: (micron) 23 Diameter: (mm) 125 Diameter: (cm) 12.5 Description: 41 Ashless Quantit	2	Box	8,000.00
2	FILTER PAPER	Filter paper no. 1: Whatman product. Code 1001-150, Material Cellulose, Description 11 um (Medium Flow),Parameter 0.25 psi Wet Burst, Thickness 180 µm,Ash ≤0.06%, Diameter 150 mm, Weight 88 g/m2.	2	Box	7,000.00
3	PETRI DISH	Disposable petri dish:90 mm x 15 mm; no partition; each pack contains 25 pairs of bottom dishes and lids; sterile and pyrogen-free	50	Pack	25,000.00
4	PIPETTE TIPS (10,000 UL TIPS) BULKS IN 250	Dimensions WxDxH: 153 x 185 x 105 mm; Length: 155 mm; Extended Length: No; Wide Bore: No; Pack Size: 250; Packaging: Bulk in box; Tip Type: Non-filtered tips; Delivery Condition: Non-Sterile; Purity: Non-sterile; Volume: 10,000 µL (bulk)	1	Piece	5,000.00
5	PIPETTE TIPS (1,000 UL TIPS) 1 BOX TIPS IN A RACK	Dimensions WxDxH: 430 x 135 x 205 mm; Length: 71.5 mm; Length Range: 71.5 mm; Extended Length: No; Wide Bore: No; Pack Size: 960; Packaging: Single Tray; Tip Type: Non-filtered tips; Delivery Condition: Non-Sterile; Purity: Non-sterile & free of DNAs	1	Piece	5,000.00

6	CENTRIFUGE TUBE	Plastic: 15ml; Conical Bottom with Graduation Level; Color Blue Cap Plastic; 25 per bag	50	Bag	25,000.00
7	SEPARATORY FUNNEL	CAPACITY: 1000mL STOPPER NO.: 27 for PET or 29 for Glass STOPCOCK PLUG SIZE: 4 APPROX O.D. X STEM LENGTH:: 12 x 70mm APPROX. TOTAL LENGTH: 400m	2	Piece	10,000.00
8	SEPARATORY FUNNEL	CAPACITY: 1000mL STOPPER NO.: 27 STOPCOCK PLUG SIZE: 4 APPROX O.D. X STEM LENGTH:: 10 x 65mm APPROX. TOTAL LENGTH: 392mm	3	Piece	15,000.00
9	AMBER BOTTLE	with glass dropper; 100 mL	25	Piece	7,500.00
10	AMBER BOTTLE	with glass dropper; 50 mL	25	Piece	5,000.00
11	PIPETTOR, SINGLE CHANNEL MECHANICAL PIPETTOR	(1000-10,000 ul) - increment 20.0 ul; - Systematic Error for test volumes 1000ul needs 30.0ul, 5,000 ul needs 60.0ul and 10,000ul needs 60.0ul; Descriptions: - Easy volume adjustment with click stop system; - Large display for easy reading of volume	1	Unit	21,000.00
12	PIPETTOR, SINGLE CHANNEL MECHANICAL PIPETTOR	(100-1000ul)- increment 1.0 ul; - Systematic Error for test volumes 100ul needs 12.0ul, 500 ul needs 4.0ul and 1000ul needs 7.0ul; Descriptions: - Easy volume P adjustment with click stop system; - Large display for easy reading of volume - For both	1	Unit	21,000.00
13	CALIPER, DIGITAL VERNIER CALIPER	Features: Calipers measure outside diameter, inside diameter, and depth. Ideal for measuring outside diameter of stoppers, inside diameter of tubing, and depth of vials. Zero button instantly sets closed jaws or any reference point to zero. Floating	1	Unit	40,000.00

Other Information

The bidders must download the attached documents in the associated component section

Created by Elena May T. Teofilo

Date Created 25/08/2023

The PhilGEPS team is not responsible for any typographical errors or misinformation presented in the system. PhilGEPS only displays information provided for by its clients, and any queries regarding the postings should be directed to the contact person/s of the concerned party.

© 2004,2004,2004-2023 DBM Procurement Service. All rights reserved.,DBM Procurement Service. All rights reserved.,DBM Procurement Service. All rights reserved.

[Help](#) | [Contact Us](#) | [Sitemap](#)